

RR KABEL LIMITED													
RRKL/CU-ARM-UAR/LP/02/25						w.e.f. 24th February, 2025							
PRICE LIST													
POWER CABLES (COPPER ARMoured / UNARMoured)													
RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Glavanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)													
Rate Per Meter (INR)													
(UNARMoured CABLES) (2XY)						(ARMoured CABLES) (2XWY / 2XFY)							
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5		
2	170	258	14	838	1514	2	218	309	14	1012	1590		
3	241	360	16	1004	1735	3	278	398	16	1131	1807		
4	309	486	19	1201	2052	4	343	514	19	1342	2128		
5	376	608	24	1521	2591	5	417	631	24	1679	2663		
6	452	721	27	1680	2878	6	496	743	27	1867	2987		
7	512	822	30	1994	3412	7	547	838	30	2082	3592		
8	624	931	37	2583	4091	8	699	1023	37	2701	4196		
10	745	1068	44	3021	4878	10	795	1177	44	3155	4900		
12	795	1307	61	4420	6713	12	884	1368	61	4644	7105		
Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWaY/2XFaY) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	357	508	-	628	-	419	561	-	719	1054	1327	1463
6.0	-	521	750	-	924	-	590	809	-	1058	1532	1873	2148
10.0	-	903	1272	-	1481	-	937	1316	-	1680	2330	-	-
16.0	669	1273	1847	-	2318	800	1390	1926	-	2485	3343	-	-
25.0	1074	2120	2947	3511	3859	1183	2283	3116	3735	4108	5960	-	-
35.0	1486	2937	4106	4727	5529	1607	3128	4389	5013	5828	8070	-	-
50.0	2034	4027	5582	6686	7392	2172	4086	5933	6983	7907	11050	-	-
70.0	2897	5742	8222	9645	10921	3051	6069	8663	10028	11414	17383	-	-
95.0	3949	7849	11764	13691	15315	4055	8386	12012	13755	15855	-	-	-
120.0	4978	9920	13771	17508	19608	5102	10000	14729	18090	19755	-	-	-
150.0	6220	12372	18441	21300	24510	6347	12520	18732	21884	25094	-	-	-
185.0	7634	14945	22759	26610	30345	7804	15498	23810	27859	31805	-	-	-
240.0	9862	19135	29744	34747	40209	10026	19966	30929	35959	41029	-	-	-
300.0	12302	23843	36890	42840	49655	12500	25288	38982	45082	52171	-	-	-
400.0	16165	31823	45986	52379	65328	16340	34400	50069	56979	69748	-	-	-
500.0	20425	-	-	-	-	20658	-	-	-	-	-	-	-
630.0	25677	-	-	-	-	26027	-	-	-	-	-	-	-
800.0	32679	-	-	-	-	33030	-	-	-	-	-	-	-
1000.0	40850	-	-	-	-	41199	-	-	-	-	-	-	-
Additional to be charged for Special Construction													
A) Tinning	3%	G) HR PVC Insulation		10%		As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.							
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath		7.5%									
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath		7.5%									
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)											
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm		11.5%		* MOQ will be applicable for all Special Items							
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above		6%									
3. 9C x 2.5 Sq.mm & above	18%												
4. 4C x 10.0 Sq.mm & above	18%												
5. 2C x 16.0 & above	18%					* The above material will be supplied from our Waghodia Unit.							
6. 3C x 16.0 & above	18%												
E) Oxygen Index (FR)	4.0%	5C to 10C		7.5%		6%		22.5%		22.5%			
F) PVC Insulation (as per IS 1554)	7.5%	12C & above		7.5%		6%		18.0%		18.0%			
Terms & Conditions:													
> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.													
> Freight will be Extra as applicable													
Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.													
THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE													

RR KABEL LIMITED
RRKL/AL-ARM-UAR/LP/02/25
w.e.f. 24th February, 2025
PRICE LIST
POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) (A2XW _a Y/ A2XF _a Y) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	117	146	-	175	-	209	224	-	261
6.0	-	163	193	-	236	-	253	276	-	330
10.0	-	236	263	-	310	-	320	357	-	454
16.0	114	239	297	-	393	206	364	384	-	485
25.0	165	310	436	552	581	271	389	511	593	635
35.0	213	406	576	624	692	328	485	649	721	822
50.0	274	510	710	845	926	404	628	844	977	1098
70.0	378	734	1022	1155	1329	517	840	1158	1316	1492
95.0	486	870	1243	1470	1584	620	1038	1426	1643	1861
120.0	606	1085	1672	1890	2020	719	1239	1788	2058	2337
150.0	749	1349	1967	2211	2501	857	1524	2196	2439	2873
185.0	927	1609	2479	2828	3096	1053	1832	2718	3088	3534
240.0	1176	2104	3199	3461	4045	1301	2429	3471	3878	4563
300.0	1454	2571	3922	4485	4927	1601	2977	4289	4771	5625
400.0	1871	3209	4893	5604	6297	2022	3865	5483	6095	7021
500.0	2352	4093	6926	7733	8783	2519	5219	7351	8615	9707
630.0	2913	5211	8688	10259	11753	3109	6420	9344	10557	12742
800.0	3636	-	-	-	-	3821	-	-	-	-
1000.0	4584	-	-	-	-	4699	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :						
B) Round Wire Armouring		Size	FR-LSH		LSZH			
			Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
		1. 1C x 95.0 & above	30%	Upto 1C x 16.0	NA	15%	NA	37.50%
		2. 2C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0	NA	15%	NA	30%
		3. 3C x 16.0 & above	30%	1C x 70.0 & above	NA	11.50%	NA	26.0%
		4. 3.5C x 25.0 & above	30%	Multicore upto 16.0	15%	11.5%	22.5%	30%
5. 4C x 10.0 & above	30%							
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0	11.5%	11.5%	18.0%	22.5%		
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above	7.5%	7.5%	22.5%	18%		
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :			* MOQ will be applicable for all Special Items			
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.	5%					
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above	2.5%					

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE