

Shield of Safety



MCB • ISOLATOR • RCCB • MCB CHANGEOVER • DISTRIBUTION BOARDS

SWITCHGEAR PRICELIST


W.E.F. : JULY 2025

ABOUT US

RR Kabel Limited is one of the leading companies in the electrical sector offering products across categories including Wires & Cables, Fans, Lighting, Appliances, Wiring Devices and Switchgear. Our brand is known for quality, safety and trust. We have always strived to create products of the highest quality using latest innovative technology.

Our range of MCB, RCCB, Isolator, MCB Changeover & Distribution Board for both residential and commercial use are crafted with seamless precision and attention to detail adhering to the highest international safety standards, ensuring you get only the most efficient, reliable and long-lasting products at the most competitive prices.

Our Switchgear range complies with the latest IEC/IS standards and fully reinforces our commitment to environmental protection. It combines all the solutions for various requirements in one package, which makes it an 'All-in-one' solution.



INDEX

MINIATURE CIRCUIT BREAKER	1
ISOLATOR	4
RESIDUAL CURRENT CIRCUIT BREAKER	5
MCB CHANGEOVER	6
DISTRIBUTION BOARDS	07
WARRANTY CLAUSE	13

MCBs RCCBs ISOLATORS CHANGE OVERS



MCB - SP



ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMSPBX006	B	6A	1	239
RRMSPBX010	B	10A	1	239
RRMSPBX016	B	16A	1	239
RRMSPBX020	B	20A	1	239
RRMSPBX025	B	25A	1	239
RRMSPBX032	B	32A	1	239
RRMSPBX040	B	40A	1	567
RRMSPBX063	B	63A	1	650
RRMSPCX006	C	6A	1	239
RRMSPCX010	C	10A	1	239
RRMSPCX016	C	16A	1	239
RRMSPCX020	C	20A	1	239
RRMSPCX025	C	25A	1	239
RRMSPCX032	C	32A	1	239
RRMSPCX040	C	40A	1	567
RRMSPCX050	C	50A	1	650
RRMSPCX063	C	63A	1	650

MCB - SPN



ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMSNCX006	C	6A	1	708
RRMSNCX010	C	10A	1	708
RRMSNCX016	C	16A	1	708
RRMSNCX020	C	20A	1	708
RRMSNCX025	C	25A	1	708
RRMSNCX032	C	32A	1	708
RRMSNCX040	C	40A	1	1129
RRMSNCX050	C	50A	1	1259
RRMSNCX063	C	63A	1	1259

MCB - DP



ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMDPCX006	C	6A	1	775
RRMDPCX010	C	10A	1	775
RRMDPCX016	C	16A	1	775
RRMDPCX020	C	20A	1	775
RRMDPCX025	C	25A	1	775
RRMDPCX032	C	32A	1	775
RRMDPCX040	C	40A	1	1191
RRMDPCX050	C	50A	1	1347
RRMDPCX063	C	63A	1	1347

Note: Packaging (Primary/Secondary/Master): SP: 1/12/144 - DP: 1/6/72 - TP: 1/4/48 - FP: 1/3/36



MCB - TP

ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMTPCX006	C	6A	1	1212
RRMTPCX010	C	10A	1	1212
RRMTPCX016	C	16A	1	1212
RRMTPCX020	C	20A	1	1212
RRMTPCX025	C	25A	1	1212
RRMTPCX032	C	32A	1	1212
RRMTPCX040	C	40A	1	1924
RRMTPCX050	C	50A	1	2060
RRMTPCX063	C	63A	1	2060



MCB - TPN

ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMTNCX006	C	6A	1	1545
RRMTNCX010	C	10A	1	1545
RRMTNCX016	C	16A	1	1545
RRMTNCX020	C	20A	1	1545
RRMTNCX025	C	25A	1	1545
RRMTNCX032	C	32A	1	1545
RRMTNCX040	C	40A	1	2267
RRMTNCX050	C	50A	1	2361
RRMTNCX063	C	63A	1	2361



MCB - FP

ITEM CODE	CURVE	CURRENT RATING (A)	UNIT PACK	MRP
RRMFPCX006	C	6A	1	1721
RRMFPCX010	C	10A	1	1721
RRMFPCX016	C	16A	1	1721
RRMFPCX020	C	20A	1	1721
RRMFPCX025	C	25A	1	1721
RRMFPCX032	C	32A	1	1721
RRMFPCX040	C	40A	1	2380
RRMFPCX050	C	50A	1	2494
RRMFPCX063	C	63A	1	2494

Note: Packaging (Primary/Secondary/Master): SP: 1/12/144 - DP: 1/6/72 - TP: 1/4/48 - FP: 1/3/36



ISOLATOR - DP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRIDPXX040	40A	1	531
RRIDPXX063	63A	1	692
RRIDPXX100	100A	1	843



ISOLATOR - TP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRITPXX040	40A	1	790
RRITPXX063	63A	1	936
RRITPXX100	100A	1	1300



ISOLATOR - FP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRIFPXX040	40A	1	1037
RRIFPXX063	63A	1	1332
RRIFPXX100	100A	1	1644

Note: Packaging (Primary/Secondary/Master): DP: 1/6/72 - TP: 1/4/48 - FP: 1/3/36

RESIDUAL CURRENT CIRCUIT BREAKER (RCCB)

Reference Standard: IS 12640-1 & IEC 61008 - 1



RCCB - DP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRRDPLX025	25A (30mA)	1	3108
RRRDPMX025	25A (100mA)	1	3108
RRRDPHX025	25A (300mA)	1	3108
RRRDPLX040	40A (30mA)	1	3086
RRRDPMX040	40A (100mA)	1	3086
RRRDPHX040	40A (300mA)	1	3086
RRRDPLX063	63A (30mA)	1	4280
RRRDPMX063	63A (100mA)	1	4280
RRRDPHX063	63A (300mA)	1	4280



RCCB - FP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRRFPLX025	25A (30mA)	1	3970
RRRFPMX025	25A (100mA)	1	3970
RRRFPHX025	25A (300mA)	1	3970
RRRFPLX040	40A (30mA)	1	3986
RRRFPMX040	40A (100mA)	1	3986
RRRFPHX040	40A (300mA)	1	3986
RRRFPLX063	63A (30mA)	1	4339
RRRFPMX063	63A (100mA)	1	4339
RRRFPHX063	63A (300mA)	1	4339

Note: Packaging (Primary/Secondary/Master): DP: 1/6/72 - FP: 1/3/36



MCB CHANGEOVER - DP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRCDPXX025	25A	1	938
RRCDPXX040	40A	1	1424
RRCDPXX063	63A	1	1809



MCB CHANGEOVER - FP

ITEM CODE	CURRENT RATING (A)	UNIT PACK	MRP
RRCFPXX025	25A	1	1913
RRCFPXX040	40A	1	2891
RRCFPXX063	63A	1	3494

Note: Packaging (Primary/Secondary/Master): DP: 1/6/72 - FP: 1/3/36

DISTRIBUTION BOARDS



DISTRIBUTION BOARD

SINGLE DOOR - SPN/ TPN

SPN/ TPN - Single Door, IP30, Midas Grey (Ref Std - IEC 61439-3, IS13032 & IS 8623)



ITEM CODE	TYPE	WAYS	(I/C+O/G WAYS)	UNIT PACK	MRP	Master Pack Nos.
RRDSNSM004	SPN	4W	2+2	1	1098	10
RRDSNSM006	SPN	6W	2+4	1	1316	10
RRDSNSM008	SPN	8W	2+6	1	1417	8
RRDSNSM012	SPN	12W	2+10	1	1803	6
RRDSNSM016	SPN	16W	2+14	1	2223	6
RRDTNSM004	TPN	4W	8+12	1	3584	-
RRDTNSM006	TPN	6W	8+18	1	3976	-
RRDTNSM008	TPN	8W	8+24	1	4536	-
RRDTNSM012	TPN	12W	8+36	1	6664	-

SPN DB-(Suitable for DP Incoming & SP Outgoing)/ TPN DB-(Suitable for FP Incoming & SP Outgoing)

DOUBLE DOOR BASELINE - SPN/ TPN

SPN/ TPN - Double Door Baseline, IP42, Midas Grey (Ref Std - IEC 61439-3, IS13032 & IS 8623)



ITEM CODE	TYPE	WAYS	(I/C+O/G WAYS)	UNIT PACK	MRP	Master Pack Nos.
RRDSNDM006	SPN	6W	2+4	1	2128	10
RRDSNDM008	SPN	8W	2+6	1	2453	8
RRDSNDM012	SPN	12W	2+10	1	3114	6
RRDSNDM016	SPN	16W	2+14	1	3752	6
RRDTNDM004	TPN	4W	8+12	1	4592	-
RRDTNDM006	TPN	6W	8+18	1	5712	-
RRDTNDM008	TPN	8W	8+24	1	7616	-
RRDTNDM012	TPN	12W	8+36	1	11480	-

SPN DB-(Suitable for DP Incoming & SP Outgoing)/ TPN DB-(Suitable for FP Incoming & SP Outgoing)

DOUBLE DOOR WITH SIDE CHANNEL - SPN/ TPN

SPN/ TPN - Double Door Baseline, IP42, Pretty White (Ref Std - IEC 61439-3, IS13032 & IS 8623)



ITEM CODE	TYPE	WAYS	(I/C+O/G WAYS)	UNIT PACK	MRP	Master Pack Nos.
RRDSNDP006	SPN	6W	2+4	1	2408	10
RRDSNDP008	SPN	8W	2+6	1	2520	8
RRDSNDP010	SPN	10W	2+8	1	2800	6
RRDSNDP014	SPN	14W	2+12	1	3136	6
RRDSNDP016	SPN	16W	2+14	1	4368	6
RRDTNDP004	TPN	4W	8+12	1	5376	-
RRDTNDP006	TPN	6W	8+18	1	6832	-
RRDTNDP008	TPN	8W	8+24	1	8736	-
RRDTNDP012	TPN	12W	8+36	1	13160	-

SPN DB-(Suitable for DP Incoming & SP Outgoing)/ TPN DB-(Suitable for FP Incoming & SP Outgoing)

CHANGEOVER SWITCH



ON LOAD - CHANGEOVER

(Ref Std - IEC 60947-3)

ITEM CODE	No. of Poles	Rating	UNIT PACK	MRP	Master Pack Nos.
RRDNCXM063	FP	63A	1	11760	-
RRDNCXM100	FP	100A	1	12544	-
RRDNCXM125	FP	125A	1	20149	-
RRDNCXM160	FP	160A	1	20832	-
RRDNCXM200	FP	200A	1	21168	-
RRDNCXM250	FP	250A	1	46200	-
RRDNCXM320	FP	320A	1	48328	-
RRDNCXM400	FP	400A	1	54320	-
RRDNCXM630	FP	630A	1	65184	-



OFF LOAD - CHANGEOVER

(Ref Std - IEC 60947-3)

ITEM CODE	No. of Poles	Rating	UNIT PACK	MRP	Master Pack Nos.
RRDOCXM032	DP	32A	1	3584	10
RRDOCFM032	FP	32A	1	5958	6
RRDOCFM063	FP	63A	1	9800	3
RRDOCFM100	FP	100A	1	15792	2
RRDOCFM200	FP	200A	1	38920	-
RRDOCFM320	FP	320A	1	51830	-
RRDOCFM400	FP	400A	1	63594	-
RRDOCFM630	FP	630A	1	133220	-



ENCLOSURE - PLASTIC

MCB Encloser, IP30, Plastic (Ref Std - IEC 61439-3, IS13032 & IS 8623)

ITEM CODE	WAYS	Rating	UNIT PACK	MRP	Master Pack Nos.
RREDPPW001	2W	DP	1	146	10/ 120
RREFPPW001	4W	FP	1	207	6/ 72

In Plastic, Suitable for DP/FP



ENCLOSURE - METAL

MCB Encloser, IP30, Metal, Colour - White (Ref Std - IEC 61439-3, IS13032 & IS 8623)

ITEM CODE	WAYS	Rating	UNIT PACK	MRP	Master Pack Nos.
RREDPNW001	2W	DP	1	554	48
RREFPNW001	4W	FP	1	650	36

In Metal , Suitable for DP/FP



TPN PHASE SELECTOR DB

TPN Phase Selector, Double Door, IP42, Midas Grey with Rotary Switch (Manual),Vertical (Ref Std: IEC 61439-3, IS13032 & IS 8623)

ITEM CODE	WAYS/ Rating	(I/C +O/G WAYS)	UNIT PACK	MRP
RRDPSKM004	4W / 40A	8+12	1	16016
RRDPSKM006	6W / 40A	8+18	1	17584
RRDPSKM008	8W / 40A	8+24	1	18592
RRDPSKM012	12W / 40A	8+36	1	21280
RRDPSQM004	4W / 63A	8+12	1	17920
RRDPSQM006	6W / 63A	8+18	1	18480
RRDPSQM008	8W / 63A	8+24	1	19600
RRDPSQM012	12W/ 63A	8+36	1	22960

TPN DB-(Suitable for FP Incoming & SP Outgoing)



AC BOXES

AC BOX Plug & Socket DB (Ref Std: IEC 61439-3, IS13032 & IS 8623)

ITEM CODE	POLES	WAYS	UNIT PACK	MRP	Master Pack Nos.
RRASPNG020	SP	20A	1	1288	24
RRADPNG020	DP	20A	1	1512	24
RRATPNG020	TP	20A	1	2128	12
RRATPNG030	TP	30A	1	2520	12

AC BOX- Metal Plug & Socket (1P +N & 3P+Earth)



PC DISTRIBUTION BOARD

SPN-Double Door, White, PC Distribution Board (Ref Std-IEC 61439-3,IS13032 & IS 8623)

ITEM CODE	WAYS	(I/C +O/G WAYS)	UNIT PACK	MRP	Master Pack Nos.
RRDSPNW004	4W	2+2	1	1344	20
RRDSPNW006	6W	2+4	1	1456	20
RRDSPNW010	10W	2+8	1	1848	10

SPN DB-(Suitable for DP Incoming & SP Outgoing)



METAL CLAD PLUG & SOCKET

ITEM CODE	TYPE	POLES/RATING	UNIT PACK	MRP	Secondary/Master Pack Nos.
RRSSPNH010	Socket	SP/10A	1	274	10/100
RRSSPNH020	Socket	SP /20A	1	370	10/100
RRSTPNH020	Socket	TP /20A	1	504	5/50
RRSTPNH030	Socket	TP /30A	1	829	5/50
RRPSPNH010	Plug	SP/10A	1	263	10/100
RRPSPNH020	Plug	SP /20A	1	347	10/100
RRPTPNH020	Plug	TP /20A	1	442	10/100
RRPTPNH030	Plug	TP /30 A	1	778	5/50

WARRANTY CLAUSE SG & WD

SWITCHES & ACCESSORIES

Sr. No.	Product Name	Maven	Connect	Natura	Ivaa	General Accessories
1	Switches & Sockets (All ratings)	10 Years	10 Years	10 Years	10 Years	
2	Fan Regulator, Dimmer, Red Indicator, USB Charger	1 Years	1 Years	1 Years	1 Years	
3	Hospitality Product - Skirting Light , Buzzer, Night lamp	1 Years	1 Years	1 Years	1 Years	
4	Mini MCB, Motor Starter	1 Years	1 Years	1 Years	1 Years	
5	Power Strip, Flexi cord					1 Year
6	Holder, Ceiling Rose, Modular Plug top, Multiplug					6 Months
7	Doorbells (IC based Electronic Model)					6 Months
8	Doorbells (Electromechanical & COB design)					Not Applicable
9	AC Box - Maven					1 Year
10	Combined Box					6 Months
11	Metal Box, Surface Box					Not Applicable

SWITCHGEARS

Sr. No.	Product Name	Maven	Connect	Natura	Ivaa	General Accessories
12	MCB, Isolator, MCB Changeover	3 Years				
13	RCCB	2 Years				
14	MCCB	1 Year				
15	Distribution Board		18 Months			
16	DB Change Over		12 Months			
17	AC Plug top & Enclosure		18 Months			

Note: All Warranty clauses is applicable for manufacturing defect only.

Warranty Terms and Conditions for products

1. The Warranty will commence from the date of purchase invoice.
2. Warranty services can be requested through the customer service department or respective retailer/dealer from whom he has purchased his Product, and must present original purchase invoice and wherever possible, the original Warranty Certificate (duly signed and stamped by the Selling Dealer)
3. In case of a manufacturing defect, the company may repair or replace the product at its discretion.
4. The warranty of repaired or replaced products will continue only for the unexpired period of the Warranty and defective products during the Warranty period are deemed the property of the Company or its Authorized Service Partner
5. There shall be no liability on the part of the Company for any delay or failure in performance caused by causes beyond its control, including the non-availability of any part, labour issues, government restrictions and regulations, public movement, war, and any other unavoidable or unforeseen circumstances, including force majeure events, especially with regards to raw materials and supplies imports
6. The Company will not be liable for economic loss, commercial loss, Consequential liability, property damage, or any other harm suffered by the customer. (liability limited to repair or replacement of product only)
7. In the event that the same product or a product with a similar design is not eligible for some unforeseeable reason, the product will be replaced with an equivalent model available at that time.

Warranty excludes or does not apply:

1. If the product is serviced or repaired by any person other than the Authorized Service Representative of the Company.
2. A damaged, erased, tampered, or modified serial number or refurbished/modified product would be invalid.
3. In the event of an accident, negligence, improper maintenance, mishandling, or tampering, incurred by the customer in transit, or attribution is attributable to the customer.
4. Any damage caused by any electrical/civil installation(s), wiring, or third-party product defect.
5. Any damage caused by unforeseeable circumstances such as a force majeure event, etc.
6. If the customer breaches the Warranty Terms and Conditions, the installation and instruction guidelines, the recommendations of the Authorized Service Representative, and/or operates the product in a manner inconsistent with the product specifications, the warranty will be Voided.



Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

T: +91 - 22 - 2494 9009 / 2492 4144 • **F:** +91 - 22 - 2491 2586 • **E:** mumbai.rrkabel@rrglobal.com

Alembic Business Park (W), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003

T : +91-265-6830 800 • **E:** vadodara.rrkabel@rrglobal.com

RR KABEL LIMITED

Regd. Office : Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

Ahmedabad: 079 - 4900 0100, **Bengaluru:** 080 - 4125 0079 / 4090 2221, **Bhubaneswar:** 9776 060 012,
Chennai: 044 - 2829 2329 / 2429, **Coimbatore:** 9025 168 457, **Guwahati:** 0361 - 2730 772,
Indore: 0731 - 3515 577, **Jaipur:** 0141 - 2741417, **Jalandhar:** 0181 - 2910 637, **Ernakulam:** 0484 - 2378 783,
Kolkata: 033 - 6607 1233, **Lucknow:** 0522 - 3516 188/89, **Madurai:** 0452 - 4370 340,
New Delhi: 0124 - 6549100, **Pune:** 8956 811 100, **Raipur:** 0771 - 4051 518,
Rajkot: 0932 7722 501, **Secunderabad:** 040 - 2780 4098, **Silvassa:** 0260 - 2641 333,
Sonipat: 0130 - 2986 986, **Surat:** 9376 507 543, **Trichy:** 0431 - 4540 363

www.rrglobal.com |     YouTube

Incase of Complaint contact Customer Care : customercare.wd@rrglobal.com or Call: 1800 1036 633

RoHS = Restriction of Hazardous Substances | **CE** = Conformance Européenne
ISI = Indian Standard Institution