



R R Kabel Limited

Corp. Office:

Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat, India.

Regd. Office:

Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013, Maharashtra, India.

Customer Care Toll Free No: 1800 103 2676

WhatsApp: 93275 53767

Email: customercare@rrglobal.com

Terms & conditions apply.

The products may differ as per catalog due to continuous improvements.

The colour shade of the products shown may differ from the actual products colour due to printing limitations

Sept. 2025



APPLIANCES CATALOGUE-2025



Home Essentials for a beautiful everyday

Comfort manifests in not just the big things, but in the small, everyday essentials that help life better. Choose from a wide range of Water Heaters, Room Heaters & Irons, each guaranteed for quality performance, tested by time.

Backed by efficient and earnest customer service, we constantly strive towards coming up with products that help make life comfortable.



WATER HEATER



STORAGE WATER HEATER - ARDOR QUBE+

10 Ltr | 15 Ltr | 25 Ltr



Highrise Building



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Thermal Cutout



Multi Functional Safety Valve



High-grade Thermostat

STORAGE WATER HEATER - AROMOR

10 Ltr | 15 Ltr | 25 Ltr



NEW ARRIVAL



Incoloy Heating Element



Nano Polymer Coated Tank



Thermal Cutout



Multi Functional Safety Valve



Highrise Building



High-grade Thermostat



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	360	380	390
15	375	395	415
25	445	425	480



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	320	340	385
15	320	340	485
25	360	380	560

STORAGE WATER HEATER - ARDENT PRO HL

10 Ltr | 15 Ltr | 25 Ltr



- Incluy Heating Element
- Nano Polymer Coated Tank
- Thermal Cutout
- Multi Functional Safety Valve
- Highrise Building
- High-grade Thermostat

STORAGE WATER HEATER - CALORAY

10 Ltr | 15 Ltr | 25 Ltr



- Incluy Heating Element
- Nano Polymer Coated Tank
- Thermal Cutout
- Multi Functional Safety Valve
- Highrise Building
- High-grade Thermostat



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	460	270	250
15	470	320	300
25	540	360	340



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	250	270	460
15	300	320	470
25	340	360	540

STORAGE WATER HEATER - NEW ARDENT PRO

10 Ltr | 15 Ltr | 25 Ltr



NEW ARRIVAL



Highrise Building



Magnesium Anode Rod



Nano Polymer Coated Tank



Thermal Cutout




Multi Functional Safety Valve



High-grade Thermostat

STORAGE WATER HEATER - ARDENT PRO

10 Ltr | 15 Ltr | 25 Ltr



Highrise Building



Magnesium Anode Rod



Nano Polymer Coated Tank



Thermal Cutout



Multi Functional Safety Valve



High-grade Thermostat



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	315	335	450
15	320	335	505
25	370	390	555



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	315	335	450
15	320	335	505
25	370	390	555

STORAGE WATER HEATER - SUPREMUS+

15 Ltr | 25 Ltr



Highrise Building



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Thermal Cutout



Multi Functional Safety Valve



High-grade Thermostat

RR APPLIANCES

STORAGE WATER HEATER - SUPREMUS GLS

06 Ltr | 10 Ltr | 15 Ltr | 25 Ltr | 35 Ltr | 50 Ltr



Highrise Building



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Thermal Cutout



Multi Functional Safety Valve



High-grade Thermostat

RR APPLIANCES



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
15	330	340	490
25	385	395	550




BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
06	325	340	415
10	325	340	475
15	365	380	570
25	400	425	610
35	430	450	650
50	430	450	750

STORAGE WATER HEATER - CALESCENT 5s

10 Ltr | 15 Ltr | 25 Ltr



Highrise Building



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Thermal Cutout




Multi Functional Safety Valve



High-grade Thermostat

STORAGE WATER HEATER - CALESCENT

10 Ltr | 15 Ltr | 25 Ltr



Highrise Building



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Thermal Cutout



Multi Functional Safety Valve



High-grade Thermostat



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	315	335	450
15	320	335	505
25	375	390	555



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	315	335	450
15	320	335	505
25	375	390	555

STORAGE WATER HEATER - ARDENT

10 Ltr | 15 Ltr | 25 Ltr



High-grade
Thermostat



Magnesium
Anode Rod



Multi Functional
Safety Valve



Rust Proof
Body



Superior
SS Tank



Thermal
Cutout

INSTANT WATER HEATER - ZUNO

03 Ltr | 5 Ltr



NEW
ARRIVAL



High Quality
Thermostat



Weldless SS
304 Tank



Dual LED
Indicator




Rust and Shock
Proof Outer Body



Pressure
Release Value



Suitable for
Mid res Buildings



BEE/RRE/0505/14

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
10	275	265	490
15	350	295	475
25	410	390	540



PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
03	210	200	360
05	240	230	450

INSTANT WATER HEATER - RAVISH+

03 Ltr | 5.9 Ltr



Weldless SS
304 tank



Rust and shock
proof outer body



Capillary
thermostat



Dual LED
Indicator



Anti Siphon
protection

INSTANT WATER HEATER - CALID Pro

05 Ltr



High-quality
Thermostat



Thermal
Cutout



Suitable for
Mid res Buildings



Pressure
Release Valve



LED
Indicator



Stainless
Steel Tank



STAINLESS
STEEL PIPE &
FASTENERS KIT

PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
03	202	196	365
5.9	235	225	435



PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
05	255	225	435

INSTANT WATER HEATER - CALID+

03 Ltr



High-quality
Thermostat



Thermal
Cutout



Suitable for
Mid res Buildings



Pressure
Release Valve



LED
Indicator



Stainless
Steel Tank

GAS WATER HEATER - LPG/PNG

06 Ltr



Copper heat
Exchanger
Tin-plated for
faster heating



3-Row Burner
with double
ignition



Summer / Winter
Mode
Adjustable temperature
control



PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
03	202	196	365



PRODUCTS DIMENSIONS

Capacity in Litres	Dimensions (mm)		
	L	W	H
06	290	140	490



IMMERSION WATER HEATER

IMMERSION WATER HEATER

1.0 KW | 1.5 KW



Water Proof
Handle

Bakelite
Handle

Neo



Heavy copper
heating element



Nickel Plating
for Corrosion
Resistance



Plastic
Shockproof
waterproof handle



Neon
Indicator*



Sturdy
Bucket Clip

Note: Neon Indicator is in Bakelite type and Neo



Type	Immersion Heater
Wattage	1.0 KW / 1.5 KW

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

ROOM HEATER



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

SWITCH HEAT CONVECTOR



2 Heat Setting Position



Auto Cutoff



Adjustable Height



Powerful Motor



Overheat Protection



Wattage	2000 W
Heating position	1000W 2000W

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

HEAT CONVECTOR - RH 1

2000 W



Two Heating Positions



Thermal Cutout



Indicator Light



Twin Turbo Motor

HEAT CONVECTOR - RH 2

2000 W



Two Heating Positions



High-grade Thermostat & Thermal Cutout



Adjustable Heights



Twin Turbo Motor



Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W / 2000W



Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W / 2000W

HALOGEN HEATER - CALID

1200 W



Easy Lift Handle



180° auto oscillation



3 Heating rod



Safety Tip Over Switch

RR APPLIANCES

HALOGEN HEATER - CALID Neo - RH9

1200 W



Easy Lift Handle



2 Heating position for effective heating



2 Heating rod



Safety Tip Over Switch

RR APPLIANCES



Wattage	1200 W
Heating position	400W 800W 1200W



Wattage	800 W
Heating position	400W 800W

QUARTZ HEATER - QUARTZ PRO

800 W



Indicator Light



Switch for heat setting
400w/800w



Quartz Heating Tubes



Safety Tip Over Switch

RR APPLIANCES

CARBON TABLE HEATER

800 W



Adjustable Temperature Control



Less Oxygen Burning



Auto Cutoff

RR APPLIANCES



Wattage	800 W
Heating position	400W 800W



Wattage	800 W
Heating position	400W 800W

QUARTZ PLUS ROOM HEATER

800 W



Indicator Light



Switch for heat setting
400w/800w



Quartz Heating Tubes



Wattage	800 W
Heating position	400W 800W

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

QUARTZ ROOM HEATER

800 W



2 Heating Position



Elegant Design



Safety Tip Over Switch



Wattage	800 W
Heating position	400W 800W

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

FAN ROOM HEATER - RH8

1600 W



Powerful Fan Motor



Auto Cut-off



Temperature Control knob

CERAMIC ROOM HEATER - RH7

1000 W



Nickel Chrome Plated Mesh Grid



Quick Heating



Corrosion Resistant Stainless Steel Reflector



Wattage	1600 W
Heating position	800W 1600W



Wattage	1000 W
---------	--------

DRY IRON



DRY IRON - ARDENT Plus

1100 W



Easy Handle Grip



Indicator Light



Variable Temperature Control



DRY IRON - PROFILE Plus

1000 W



Easy Handle Grip



360° Swivel Cord



Variable Temperature Control



DRY IRON - ESTELLA Plus

1000 W



Indicator Light



Thermal Fuse



360° Swivel Cord



Variable Temperature Control

DRY IRON - SILK FLOW Plus

750W



Indicator Light



360° Swivel Cord



Variable Temperature Control



DRY IRON - HEAVY WEIGHT Plus

1100 W



Indicator Light



Weilburger Non Stick Gold Coated Sole Plate



Thermal Fuse



Adjustable Temperature Control



1000 Watt



750 Watt



1000 Watt

1.7 Kg

Weight

AIR COOLER



INDUSTRIAL AIR COOLER - GIANT

100 Ltr



High Air throw



Inverter compatible



Honeycomb pad



18.5 Inch Metal Blade



Exhaust motor With Double Ball Bearing



Virgin PP Body



Tank Capacity	100 Ltrs
Wattage (W)	350
Air Throw (ft)	75
Air Delivery (m ³ /hr)	8000
Speed (RPM)	1350
Product Dimensions in mm (LxBxH)	810x530x1390

INDUSTRIAL AIR COOLER - GIANT

95 Ltr



High Air throw



Inverter compatible



Honeycomb pad



24 Inch Metal Blade



Exhaust motor With Double Ball Bearing



Virgin PP Body



INDUSTRIAL AIR COOLER - GIANT

84 Ltr



High Air throw



Inverter compatible



Honeycomb pad



17 inch ABS Fan Blade



Double Ball Bearing



Virgin PP Body



Tank Capacity	95 Ltrs
Wattage (W)	550
Air Throw (ft)	100
Air Delivery (m ³ /hr)	13000
Speed (RPM)	1350
Product Dimensions in mm (LxBxH)	965x535x1490

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



Tank Capacity	84 Ltrs
Wattage (W)	250
Air Throw (ft)	65
Air Delivery (m ³ /hr)	6700
Speed (RPM)	1350
Product Dimensions in mm (LxBxH)	490x680x1340

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

INDUSTRIAL AIR COOLER - GIANT

45 Ltr



High Air throw



Inverter compatible



Honeycomb pad



ABS Fan Blade



Thermal overload Protection for motor and Pump



Virgin PP Body

Tank Capacity	45 Ltrs
Wattage (W)	140
Air Throw (ft)	50
Air Delivery (m ³ /hr)	3300
Speed (RPM)	2400
Product Dimensions in mm (LxBxH)	420x530x1064

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



DESERT ROOM AIR COOLER - SKYWIND

105 Ltr | 90 Ltr | 70 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



16 inch ABS Fan Blade



Honeycomb pad



Virgin PP Body

Tank Capacity	105 Ltrs	90 Ltrs	70 Ltrs
Wattage (W)	200	200	200
Air Throw (ft)	60	60	60
Air Delivery (m ³ /hr)	4600	4600	4600
Speed (RPM)	1350	1350	1350
Product Dimensions in mm (LxBxH)	630x430x1302	630x430x1230	630x430x1190

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



DESERT ROOM AIR COOLER - CALIDFLOE

70 Ltr | 55 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



16 inch ABS Fan Blade



Honeycomb/Woodwool pad



Ice Chamber

WINDOW ROOM AIR COOLER - CALIDFLOE

50 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



Water Level Indicator



Woodwool pad



Virgin PP Body



Tank Capacity	70 Ltrs	55 Ltrs
Wattage (W)	200	200
Air Throw (ft)	50	50
Air Delivery (m ³ /hr)	4500	4500
Speed (RPM)	1350	1350
Product Dimensions in mm (LxBxH)	590x340x1190	590x340x1150

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



Tank Capacity	50 Ltrs
Wattage (W)	220
Air Throw (ft)	40
Air Delivery (m ³ /hr)	2000
Speed (RPM)	1280
Product Dimensions in mm (LxBxH)	660x560x550

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

TOWER ROOM AIR COOLER - ESTELLA

35 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



Multi Directional Castor Wheels



Honeycomb pad



Ice Chamber

PERSONAL ROOM AIR COOLER - ESTELLA Plus

22 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



Multi Directional Castor Wheels



Honeycomb pad



Virgin PP Body



Tank Capacity	35 Ltrs
Wattage (W)	150
Air Throw (ft)	35
Air Delivery (m ³ /hr)	1350
Speed (RPM)	1400
Product Dimensions in mm (LxBxH)	350x350x1150

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



Tank Capacity	22 Ltrs
Wattage (W)	130
Air Throw (ft)	30
Air Delivery (m ³ /hr)	1200
Speed (RPM)	1280
Product Dimensions in mm (LxBxH)	400x300x772

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

PERSONAL ROOM AIR COOLER - ESTELLA Plus

18 Ltr | 12 Ltr



High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



Water Level Indicator



Honeycomb pad



Virgin PP Body



Tank Capacity	18 Ltrs	12 Ltrs
Wattage (W)	80	80
Air Throw (ft)	14	14
Air Delivery (m ³ /hr)	650	650
Speed (RPM)	1380	1380
Product Dimensions in mm (LxBxH)	284x273x670	284x273x590

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

ELECTRIC INDUCTION COOKTOP



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

INFRA RED COOK TOP

2100W



BBQ Grill
FREE



Crystal Glass
for Long Life



Feather
Touch Button



0-180 Mins
Cooking Timer
Function



High/Low
Voltage
Cut off



Adjustable
Temperature
Control



On Site



On Glass

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

ELECTRIC INDUCTION - 1800 CRYSTAL



Electro Guard
Voltage Protection
Upto 4500V



Crystal Glass
for Long Life



8 Pre Set
Indian Menu



0-180 Mins
Cooking Timer
Function



High/ Low
Voltage Cut Off



30% Cheaper
Cooking*

*T&C Apply



ELECTRIC INDUCTION - 1600 CRYSTAL



Electro Guard
Voltage Protection
Upto 4500V



Crystal Glass
for Long Life



8 Pre Set
India Menu



0-180 Mins
Cooking Timer
Function



Double Ring
Coil



Pan Sensor



