



R R Kabel Limited

Corp. Office:

Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat , India.

Regd. Office:

Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013, Maharastra , India.

Customer Care Helpline Number : 99993 32676

WhatsApp.: 93275 53767

Email: customercare@rrglobal.com

Terms & conditions apply.

The products may differ as per catalog due to continuous improvements.

The colour shade of the products shown may differ from the actual products colour due to printing limitations

Feb. 2026

Follow us on  



FANS CATALOGUE 2026

Ceiling Fan | Portable Fans | Ventilation Fans | Industrial Fans

About RR Global

RR Global, a USD 1.25 billion conglomerate has moulded its success on innovation. Since the foundation of the brand, its architects opted that innovation is the key to success of every product in the brand. It was a really courageous decision because at that point in time categories like wires and cables were highly commoditized. This optimistic development led to the creation of a brand - RR Kabel, a name which is admired worldwide with existence over 90+ countries across the globe.

Presently the company is ranked amongst the top three retail wire manufacturers across the nation. It is also the largest consumer of copper in India, an achievement which no one would have imagined a cable and wire company to be capable of and that is the reason they are preferred by clients who are some of the largest copper manufacturer in the country.

RR Global takes honour in establishing 9 companies and global offices, primarily in the U.A.E and Bangladesh. In their endeavour to set international benchmarks, RR Kabel has received 19 international accreditations. They are the first in India to have BASEC (U.K.), UL (U.S.A.), VDE (Germany), among others for its wide range of cables including ISO 50001 and ISO 14001.

Across the course of four decades, their impulse towards innovation to achieve success and hard work steered them to earn phenomenal recognition with RR Kabel becoming the desired choice for wires and cables not only in India but also on a global platform.

RR Global India focusses on cutting edge technology and research to enhance efficiency, reliability, and safe conduction of electricity. This in turn supported the core of the company's engineering endeavour which is to guarantee safe environments everywhere- offices, commercial spaces, industrial plants, and residences.

About RR Fans

RR Fans Product range is offered by RR Global, a USD 1.25 billion conglomerate in the electrical sector with a presence in over 85 countries globally. Flagship brand RR Kabel (Wires & Cables) along with other Consumer Products Brand

RR Fans, RR Lighting, RR Switches, RR Appliances and Arraystorm (Commercial Lighting) are part of marquee RR Global Brand.

RR Fans offer a wide range which is premium looking, high on performance and priced economically for various residential, commercial, institutional and industrial purposes.

The range spectrum spreads across Ceiling Fans, Table / Wall / Pedestal Fans, Ventilation Fans, Exhaust Fans (Light Duty/ Heavy Duty), Air Circulators.



TRANSFORMING TECHNOLOGIES in a world class setup

We manufacture world-class products with its behind the scenes state-of-the-art infrastructure. There are various areas of in-house expertise, which ensure top-notch quality and flawless output.



INDEX

BLDC

- LUXE 07
- AMOUR 08
- REVTRON 09
- SUPER VEGAM 10
- MH DELUXE 11
- DHANUSH 12
- VEGAM 13

PREMIUM DECORATIVE

- AMOUR 16
- FIONA 17
- ECLIPSE 18
- ORAAN 19
- VINDR PLUS 20
- SPINNER 21

CLASSIC DECORATIVE

- JULIO 24
- KRYSTAL 25
- TATVA 26
- BRISA NEO 27
- NEW FLOMAX PLUS 28
- DRIFT 29

UTILITY

- VAYOO SF 32
- VAYOO 33
- TEEVRA 34
- FLOMAX HS TURBO 35
- FLOMAX HS 36
- DROOT HS 37
- DROOT ECO HS 38

PORTABLE

- OSCILLATING FARRATA .. 42
- FARRATA DLX 43
- GYROS 3D 44
- FARRATA 45
- CALID HS 46
- PORTO HS 47
- HAILSTORM 48
- PORTO NS 49
- GETTO NS 50-51
- SERYN 52
- BREEZEMATE 53
- CALID MINI HS 54
- ZIP AIR 55

VENTILATION

- OXYBREEZ EX 58
- OXYBREEZ LDBX 59
- OXYBREEZ LDBX HS 59
- OXYBREEZ LX HS 60
- OXYBREEZ LX 61
- OXYBREEZ MX 62
- OXYFLO SS 63
- OXYFLO GRL 64

INDUSTRIAL

- HEAVY DUTY
EXHAUST FAN 68
- AIR CIRCULATOR
PEDESTAL 69
- AIR CIRCULATOR
WALL
- SWEEPS DETAILS 70

BLDC

Fans Range



The NEXT GEN BLDC fans are setting new benchmarks in energy-efficient home appliances, combining cutting-edge technology with sleek design. Here are the standout features of these fans:

Energy Saving: With the integration of Brushless Direct Current (BLDC) technology, NEXT GEN fans reduce power consumption by up to 60%, making them highly efficient. This is especially crucial in India, where electricity prices are rising, and energy-saving appliances are in demand.

Wide Voltage Range (100V-300V): These fans are engineered to handle a broad range of voltage fluctuations, common in many parts of India. With voltage stability ranging from 100V to 300V, these fans continue to perform efficiently even during power surges or low-voltage conditions.

Mini Motor Design: The compact yet powerful motor design ensures quieter operation without compromising on airflow. The mini motor also contributes to the fan's sleek look, making it a perfect fit for modern homes with minimalist designs.

Remote Controlled: With easy-to-use remote functionality, users can adjust speed settings, toggle between modes, and even turn the fan on or off without needing to reach for the switch. This feature is increasingly popular in India's urban homes, where convenience and automation are becoming key lifestyle elements.

Premium Features: Designed for modern homes, these fans come with advanced features such as smart remote control, allowing users to adjust speed and modes from the comfort of their couch. Some models also feature sleep timers and boost modes.

The combination of efficiency, durability, and innovative features makes the NEXT GEN BLDC fans an excellent choice for Indian households looking to upgrade their home appliances

POWER SAVING CALCULATIONS

Conventional Fan	Conventional Fan	BLDC 5 Star
Power Consumption (Watt)	75	28
Per Day Consumption (Hrs)	16	16
KWH Units Consumed per day (Watt * Hrs / 1000)	1.2	0.4
Per Unit Electricity Cost (KWH)	6.5	6.5
Annual Electricity Consumption (₹)	2847	1063
Annual Saving Per Fan		1784

BLDC FANS RANGE



LUXE



AMOUR



REVTRON




SUPER VEGAM



MH DELUXE



DHANUSH



VEGAM



Pearl White

Sparkling Silver

Ceiling Fan
LUXE



RF Remote Control



100%
COPPER



NextGen
BLDC



34
WATT
BLDC fan



MORE ENERGY
MORE SAVINGS
POWER SAVING



Voltage Operating
Range-100-300 V



Reverse
Mode



Surge Protection
4kV



2X Runtime
on Inverter



Anti-Dust
Coating



WARRANTY
3 YEARS
WARRANTY

Sweep : 1200mm
Power : 34 W
Speed : 370 RPM
AD : 220m³/min



Sparkling Silver

RF Remote Control

Pearl White

RR FANS

Ceiling Fan
Amour

100%
COPPER

NextGen
BLDC

34 W
BLDC fan

POWER SAVING



NEW
LAUNCH

Oakwood

Matt Black

Matt Brown

Matt White

RR FANS

Ceiling Fan
Revtron

RF Remote Control

NextGen
BLDC

34 W
BLDC fan

POWER SAVING



Voltage Operating
Range-100-300 V



Reverse
Mode



Surge Protection
4kV



2X Runtime
on Inverter



Anti-Dust
Coating



Sweep : 1200mm
Power : 34 W
Speed : 370 RPM
AD : 220m³/min



Voltage Operating
Range-100-300 V



Reverse
Mode



Surge Protection
4kV



2X Runtime
on Inverter



Speed Indicator
LED Lights



Sweep : 1200mm
Power : 34 W
Speed : 360 RPM
AD : 220m³/min

NEW LAUNCH

Ceiling Fan
SUPER Vegam

RF Remote Control

Cobalt Blue

Moonstone Grey

Matt White

Smoke Brown



Voltage Operating Range-100-300 V



Timer Mode



Surge Protection 4kV



2X Runtime on Inverter



Aluminium Body & Aluminum Blades



Sweep : 1200mm
Power : 32 W
Speed : 360 RPM
AD : 220m³/min

CEILING FAN
MH Deluxe

RF Remote Control

White

Smoke Brown

Brown



Voltage Operating Range-100-300 V



Surge Protection 4kV



2X Runtime on Inverter



Aluminium Body & Aluminum Blades



Sweep : 1200mm
Power : 27 W
Speed : 350 RPM
AD : 217m³/min



RR FANS

Brown

White



RF Remote Control

*Also available in Regulator type in 1200 and 1400mm



CEILING FAN
Dhanush



Voltage Operating Range-100-300 V



Surge Protection 4 kV



2X Runtime on Inverter



High Speed @380 RPM



Reverse Mode



Sweep : 1200mm
Power : 30 W
Speed : 380 RPM
AD : 215m³/min



RR FANS

NEW LAUNCH

Vegam

Smoke Brown

Metallic Brown

White



RF Remote Control

Ceiling Fan
Vegam



Voltage Operating Range-100-300 V



Surge Protection 4 kV



2X Runtime on Inverter



Mini Motor Design



Timer Mode






Sweep : 1200mm
Power : 32 W
Speed : 360 RPM
AD : 215m³/min

Premium Decorative

Fans Range

Premium Decorative FANS RANGE





RR Ceiling Fan
Amour

Pearl White

Sparkling Silver

Pearl Black

100%
COPPER



ANTI-RUST
Aluminium Body & Aluminium Blades

High Air Delivery

High Speed @380 RPM

2 YEARS WARRANTY

Sweep : 1200mm
Power : 49 W
Speed : 380 RPM
AD : 220m³/min



RR Ceiling Fan
Fiona

Chocolate Brown

Champagne Gold

Velvet Brown

Matt White



ANTI-RUST
Aluminium Body & Aluminium Blades

High Speed @380 RPM

Fluidic Ring & Trim Design

225 CMM
High Air Delivery

Wide blades

2 YEARS WARRANTY

Sweep : 1200mm
Power : 50 W
Speed : 380 RPM
AD : 225m³/min



Eclipse Ceiling Fan



Aluminium Body & Aluminium Blades



High Speed @380 RPM




Wide blades



High Air Delivery



Sweep : 1200mm
Power : 49 W
Speed : 380 RPM
AD : 220m³/min



Oraan Ceiling Fan



Aluminium Body & Aluminium Blades



High Speed Fan



High Air Delivery



Wide blades



Elegant trim Design



Sweep : 1200mm
Power : 50 W
Speed : 400 RPM
AD : 225m³/min





Pearl Brown

Pearl White

Rose Gold

RR FANS



Ceiling Fan VINDR⁺

- Aluminium Body & Aluminum Blades
- High Speed @380 RPM
- Wide blades
- Decorative Trims
- High Air Thrust
- 2 YEARS WARRANTY**
- Sweep : 1200mm
 Power : 49W
 Speed : 380 RPM
 AD : 220m³/min



Honey Gold

Ale Brown

Velvet Brown

RR FANS



Ceiling Fan SPINNER

- Aluminium Body & Aluminum Blades
- High Speed @380 RPM
- Powerful Motor
- Decorative Trims
- High Air Thrust
- 2 YEARS WARRANTY**
- Sweep : 1200mm
 Power : 49 W
 Speed : 380 RPM
 AD : 220m³/min



Classic Decorative

Fans Range

Classic Decorative FANS RANGE



JULIO



KRYSTAL



TATVA



BRISA NEO



NEW FLOMAX PLUS



DRIFT



Matt Charcoal Black

Matt White

Choco Brown

RR FANS



Ceiling Fan
Julio



NEW LAUNCH

Royal Gold

Pearl White

Moonstone Grey

Pearl Brown

Smoke Brown

RR FANS

100%
COPPER



Ceiling Fan
Krystal

ANTI-RUST
Aluminium Body & Aluminium Blades

HIGH SPEED
High Speed @380 RPM

Powerful Motor

220 CMM
High Air Delivery

High Air Thrust

WARRANTY
2 YEARS
WARRANTY

Sweep : 1200mm
Power : 49W
Speed : 380 RPM
AD : 220m³/min

ANTI-RUST
Aluminium Body & Aluminium Blades

400 RPM
High Speed Fan

220 CMM
High Air Delivery

High Air Thrust

WARRANTY
2 YEARS
WARRANTY

Sweep : 1200mm
Power : 49W
Speed : 400 RPM
AD : 220m³/min



NEW LAUNCH

Elegant Matt Brown

Smoke Brown

Royal Gold

Matt White

RR FANS



Ceiling Fan
Tatva

- ANTI-RUST**
Aluminium Body & Aluminium Blades
- 400 RPM**
High Speed Fan
- 225 CMM**
High Air Delivery
- Premium Matt Finish**
- Heavy Motor**
- 2 YEARS WARRANTY**
- Sweep : 1200mm
Power : 50 W
Speed : 400 RPM
AD : 225m³/min



RR FANS

Sparkle Silver

Cobalt Blue

Smoke Brown

Ceiling Fan
Brisa Neo



- ANTI-RUST**
Aluminum Blades
- 400 RPM**
High Speed Fan
- 215 CMM**
High Air Delivery
- Decorative Ring & Trims**
- 2 YEARS WARRANTY**
- Sweep : 1200mm
Power : 48 W
Speed : 400 RPM
AD : 215m³/min



NEW LAUNCH



Smoke Brown



Ivory



White



Brown

Now available in 900mm Also



CEILING FAN
NEW FLOMAX⁺



Decorative Body & Ring



400 RPM

High Speed Fan



Powerful Motor



Double Ball Bearings



2 YEARS WARRANTY

Sweep : 900mm	1200mm
Power : 39 W	47 W
Speed : 450 RPM	400 RPM
AD : 140m ³ /min	210m ³ /min




Cobalt Blue




Smoke Brown




White



Ceiling Fan
Drift




Aerodynamically balanced blade




400 RPM

High Speed Fan



High Air Thrust



2 YEARS WARRANTY

Sweep : 1200mm
Power : 47 W
Speed : 400 RPM
AD : 210m ³ /min



Utility

Fans Range

Utility FANS RANGE



VAYOO SF



VAYOO




TEEVRA




FLOMAX HS TURBO



FLOMAX HS



DROOT HS



DROOT ECO HS



Brown

CEILING FAN
vayoo^{SF}



White



Ivory

**100%
COPPER**




Ivory

CEILING FAN
vayoo



White



Brown

**Now available in
All SWEEPS**

**100%
COPPER**



Aluminium Body & Aluminium Blades



Super High Speed Fan



Low Voltage Operation



Powerful Motor



Noiseless operation



Sweep : 900mm
Power : 46 W
Speed : 625 RPM
AD : 165m³/min



Aluminium Body & Aluminium Blades



Super High Speed Fan



Low Voltage Operation



Powerful Motor



Sweep : 600mm	1200mm	1400mm
Power : 57 W	48 W	56 W
Speed : 850 RPM	415 RPM	300 RPM
AD : 114m ³ /min	215m ³ /min	250m ³ /min



RR FANS

NEW LAUNCH

Brown

White

Smoke Brown

Now available in 900mm Also



Ceiling Fan
Teevra

ANTI-RUST



Aluminum Blades

400 RPM

High Speed Fan

215 CMM

High Air Delivery



Wide blades



Sweep : 900mm	1200mm
Power : 39 W	48 W
Speed : 460 RPM	400 RPM
AD : 140m ³ /min	215m ³ /min



RR FANS

NEW LAUNCH

Smoke Brown

Brown

Ivory

White

CEILING FAN
FLOMAX HS
TURBO

100% COPPER



ANTI-RUST



Aluminum Body

400 RPM

High Speed Fan



Powerful Motor



Double Ball Bearings



High Air Thrust

215 CMM

High Air Delivery



Sweep : 1200mm
Power : 48 W
Speed : 400 RPM
AD : 215m ³ /min



White

Brown

Ivory



CEILING FAN FLOMAX HS

ANTI-RUST



Aluminum Body



High Speed Fan



Powerful Motor



Double Ball Bearings



High Air Thrust



Sweep : 1200mm
Power : 47 W
Speed : 400 RPM
AD : 210m³/min



Brown

Smoke Brown

Ivory

White



CEILING FAN Droot HS



High Speed Fan



Powerful Motor



Double Ball Bearings



High Air Thrust



Sweep : 1200mm
Power : 47 W
Speed : 400 RPM
AD : 210m³/min



CEILING FAN
Droot
 Eco HS

400 RPM

High Speed Fan



Powerful Motor



Double Ball Bearings



High Air Thrust



Sweep : 600mm	900mm	1200mm	1400mm
Power : 57 W	39 W	47 W	55 W
Speed : 850 RPM	450 RPM	400 RPM	300 RPM
AD : 114m ³ /min	140m ³ /min	210m ³ /min	245m ³ /min




PORTABLE


Fans Range



PORTABLE FANS RANGE




OSCILLATING
FARRATA



NEW FARRATA
DLX 3



GYROS 3D
P/W



FARRATA




CALID HS
T/P/W



PORTO HS
P/W



HAILSTORM



PORTO NS
T/P/W



GETTO NS
T/P/W



SERYN



BREEZEMATE



CALID MINI HS



ZIP AIR



Black



OSCILLATING FARRATA

HEAVY DUTY Full Base, Rubber Padding, Superior Clamping



3 Step Rotary Switch



Oscillating Fan



Tallest Farrata




High Air Delivery



Thermal Overload Protection (TOP)



Sweep : 500mm
Power : 150W
Speed : 1400 RPM
AD : 135m³/min



Black



NEW FARRATA DLX 3

HEAVY DUTY Full Base, Rubber Padding, Superior Clamping



Oscillating Fan



Tallest Farrata



Thermal Overload Protection (TOP)



Consumes Less Power



3 Step Rotary Switch



Sweep : 500mm
Power : 115W
Speed : 1400 RPM
AD : 120m³/min

NEW LAUNCH



GYROS 3D



Inbuilt vertical Tilt Mechanism



Thermal Overload Protection (TOP)



Chrome Finish Blade and Gril



Oscillating Fan



Upto 5 Feet Height




High Air Delivery



Corrosion Resistant Guard



Sweep : 450mm
Power : 90W
Speed : 1400 RPM
AD : 110m³/min



FARRATA

Black



Full Base, Rubber Padding, Superior Clamping



Tallest Farrata



Thermal Overload Protection (TOP)



High Air Delivery




3 Step Rotary Switch



Sweep : 500mm
Power : 150W
Speed : 1400 RPM
AD : 130m³/min



TPW Fan
CALID HS



Wall is also available in 300mm

RR FANS

**100%
COPPER**



High Speed
@2300 RPM



Hi Air
Throw




Thermal Overload
Protection (TOP)



High
Air Delivery



Sweep :	400 mm	300 mm
Power :	130 W	95 W
Speed :	2300 RPM	2300 RPM
AD :	90m ³ /min	70m ³ /min



Pedestal & Wall Fan
PORTO HS



RR FANS



Thermal
Overload
Protection
(TOP)

**100%
COPPER**



High Speed



Hi Air
Throw



Aerodynamic
ABS Blade



100% copper
motor



Double Ball
Bearing



Sweep :	400mm
Power :	115W
Speed :	2100 RPM
AD :	90m ³ /min

Pedestal Fan HAILSTORM



Black



Oscillating Fan



High Speed @2250 RPM



High Air Delivery



Strong Motor



Thermal Overload Protection (TOP)




Sweep : 400mm
Power : 100W
Speed : 2250 RPM
AD : 120m³/min




Blue



White




Blue



White



Blue



White



PORTO NS



Oscillating Fan



High Air Delivery



Low Noise



Thermal Overload Protection (TOP)



100% copper motor



Sweep : 400mm
Power : 65W
Speed : 1350 RPM
AD : 70m³/min



Pedestal Fan
GETTONS

White

Blue

Black

Yellow - Black

100%
COPPER



Oscillating Fan



High Air Delivery



Adjustable height*



Thermal Overload Protection (TOP)



100% copper motor




3 speed switch control



Sweep : 400mm
Power : 55W
Speed : 1350 RPM
AD : 70m³/min

*Applicable to only Pedestal fan



White

Blue

Black

Yellow - Black



White



Blue



Yellow - Black

100%
COPPER



Wall & Table Fan
GETTONS



Oscillating Fan



High Air Delivery



Thermal Overload Protection (TOP)



100% copper motor



3 speed switch control



Sweep : 400mm
Power : 55W
Speed : 1350 RPM
AD : 70m³/min

Pedestal Fan
Seryn



White

White

Black

Black



60% More Height Adjustment

100% COPPER



Oscillating Fan



High Air Delivery



3 Step Rotary Switch



Thermal Overload Protection (TOP)




100% Copper Motor




Sweep : 400mm
Power : 60W
Speed : 1350 RPM
AD : 70m³/min

Multipurpose Fan
Breezmate



Burgundy



Blue



Thermal Overload Protection (TOP)

100% COPPER



Silent Operation



High Speed



Powerful Motor




Wall/ Table Fan



Switch Operation



Sweep : 230 mm 300 mm
Power : 50 W 70 W
Speed : 2500 RPM 2200 RPM
AD : 30m³/min 50m³/min



White

MULTIPURPOSE FAN
CALID Mini HS

100%
COPPER



Wall/
Table Fan



Thermal Overload
Protection (TOP)



High Speed
2500 RPM




Oscillating
Fan



3 Speed
Regulation



Sweep : 230mm
Power : 50W
Speed : 2500 RPM
AD : 30m³/min



Orange



Black



Grey

CLIP FAN
Zip Air 110 mm



High Speed
2600 RPM



Backup
Upto 4 Hours



Silent
Operation



USB
Charging



Sweep : 110mm
Power : 10W
Speed : 3000 RPM



VENTILATION

Fans Range


VENTILATION FANS RANGE



OXYBREEZ EX




OXYBREEZ LDBX



OXYBREEZ LDBX HS



OXYBREEZ LX HS



OXYBREEZ LX



OXYBREEZ MX



OXYFLO SS



OXYFLO GRL



LIGHT DUTY EXHAUST FAN
OXYBREEZ EX

**100%
COPPER**



Powerful
Air Suction



Metal Front
Guard



Long Life
Powder Coating



Double Ball
Bearing



Sweep	: 9 in	12 in
Power	: 45 W	70 W
Speed	: 1400 RPM	1400 RPM
AD	: 750m ³ /hr	1600m ³ /hr
Duct Size	: 242x242mm	326x326mm



LIGHT DUTY EXHAUST FAN
OXYBREEZ BX



LIGHT DUTY EXHAUST FAN
OXYBREEZ BX HS

**100%
COPPER**



Thermal
Overload
Protection
(TOP)



Powerful
Air Suction



Metal Front
Guard



Long Life
Powder Coating

Sweep	: 9 in	12 in	6 in (HS)	9 in (HS)	12 in (HS)
Power	: 45 W	65 W	40W	70 W	90 W
Speed	: 1370 RPM	1370 RPM	2800 RPM	2400 RPM	2200 RPM
AD	: 600m ³ /hr	1000 m ³ /hr	600m ³ /hr	800 m ³ /hr	1600 m ³ /hr
Duct Size	: 242x242mm	326x326mm	172x172mm	242x242mm	326x326mm

NEW LAUNCH



VENTILATION FAN
OXYBREEZ LX HS

100%
COPPER



Thermal Overload Protection (TOP)



High Speed



Rust Proof



Easy Clean



Auto dust protection Louver



Sweep	: 6 in	8 in
Power	: 50 W	60 W
Speed	: 2500 RPM	2200 RPM
AD	: 500m ³ /hr	900m ³ /hr
Duct Size	: 190x190mm	240x240mm



VENTILATION FAN
OXYBREEZ LX

100%
COPPER



Thermal Overload Protection (TOP)



Rust Proof



Easy Clean



Auto dust protection Louver



Sweep	: 6 in	8 in	10 in
Power	: 30 W	32 W	35W
Speed	: 1400 RPM	1300 RPM	1300 RPM
AD	: 265 m ³ /hr	570 m ³ /hr	750 m ³ /hr
Duct Size	: 190x190 mm	240x240mm	290x290mm

NEW LAUNCH



VENTILATION FAN
OXYBREEZ MX

100% COPPER



Thermal Overload Protection (TOP)



Rust Proof



Easy Clean



Auto dust protection Louver



Smaller Cut-out Size



Sweep : 6 in
Power : 30 W
Speed : 1400 RPM
AD : 265 m³/hr
Duct Size : 175x175 mm



VENTILATION FAN
OXYFLO SS

100% COPPER



Silent Operation



Easy Clean



Powerful Air Suction



High Speed



Rust Proof



Sweep : 4 in
Power : 15 W
Speed : 2400 RPM
AD : 140 m³/hr
Duct Size : 98x98 mm

6 in
20W
2000 RPM
275 m³/hr
145x145 mm



VENTILATION FAN
OXYFLO GRL

Also Available in Black Color

**100%
COPPER**



Silent Operation



Easy Clean



Powerful Air Suction



High Speed



Rust Proof



Sweep	: 4 in	6 in	8 in
Power	: 18 W	22 W	42W
Speed	: 2400 RPM	2000 RPM	1800 RPM
AD	: 140 m ³ /hr	275 m ³ /hr	570 m ³ /hr
Duct Size	: 109 Ø mm	150 Ø mm	200 Ø mm



INDUSTRIAL

Fans Range



INDUSTRIAL FANS RANGE



**HEAVY DUTY
EXHAUST FAN**



**AIR CIRCULATOR
PEDESTAL FAN**



**AIR CIRCULATOR
WALL FAN**



HEAVY DUTY EXHAUST FAN

100%
COPPER



Heavy Duty Exhaust



Powerful Air Suction



Double Ball Bearing



Sweep	: 300* mm	380 mm	450 mm	600 mm
Power	: 95W	150W	375W	480W
Speed	: 1400 RPM	1400 RPM	1400 RPM	1400 RPM
AD	: 2000m ³ /hr	4000 m ³ /hr	6200m ³ /hr	10400 m ³ /hr

*Available in Single Phase only

Available in Single and Three Phase



AIR CIRCULATOR PEDESTAL & WALL FAN

100%
COPPER

*Speed Regulation is available in 450mm only.



High Air Delivery



Aluminium Die casted blades



Double Ball Bearing



Sweep	: 450 mm*	600 mm	750 mm
Power	: 100 W	200 W	300W
Speed	: 1400 RPM	1400 RPM	1400 RPM
AD	: 10000 m ³ /hr	16000 m ³ /hr	23000 m ³ /hr

Available in Single Phase only

Selection Criteria and Recommended Minimum
Fresh Air Supply Selection Criteria

Applications	No. of Air Changes/Hour
Residences, Storage Areas	1 - 2
Libraries, Class Rooms	2 - 4
Assembly Halls, Labs	4 - 6
Lavatories, Bars, Hospital Wards	6 - 8
Theatres, Workshops, Garages	6 - 10
Cafes, Canteens	8 - 12
Restaurants, Laundries	10 - 15
Bakeries, Canteen Kitchens	15 - 30
Boiler Houses, Engine Rooms	15 - 30
Foundaries & Furnace Rooms	30 - 60

For large hall, Auditoriums, Offices, Install two or more ceiling fans with a space as specified below

Sweep of fan	Center Distance
900 mm (36)	6 feet (1.82 mtrs. approx)
1050 mm (42)	7 feet (2.13 mtrs. approx)
1200 mm (48)	8 feet (2.43 mtrs. approx)
1400 mm (56)	10 feet (3 mtrs. approx)

The referred Indian Standard is IS 374:2019 (Specifications for Electric Ceiling Type Fans) with all amendments, as applicable.

Star Rating	SERVICE VALUE		
	>=600-750mm	>=750-1050mm	>=1050-1500mm
1 Star	>=2.0 to <2.5	>=3.6 to <4.1	>=4.5 to <5.0
2 Star	>=2.5 to <3.0	>=4.1 to <4.6	>=5.0 to <5.5
3 Star	>=3.0 to <3.5	>=4.6 to <5.1	>=5.5 to <6.0
4 Star	>=3.5 to <4.0	>=5.1 to <5.60	>=6.0 to <6.5
5 Star	>=4.0	>=5.6	>=6.5

Minimum Performance Value of Fans			
S. No	Fan Size(mm)	Air Delivery (CMM)	Service Value
1	600	100	2.0
2	900	130	3.6
3	1050	150	3.6
4	1200	210	4.5
5	1400	245	4.5

General Guidelines for Ceiling Fans & Domestic Exhaust Fans

Model Size	Sweep (MM)	Suitable for Room Size
Ceiling Fan	600 mm (24)	For Small Shops, Cabins & Toilets
Ceiling Fan	900 mm (36)	7 x 10 feet (2.13 x 3 mtrs. approx)
Ceiling Fan	1050 mm (42)	10 x 10 feet (3 x 3 mtrs. approx)
Ceiling Fan	1200 mm (48)	12 x 13 feet (3.65 x 3.96 mtrs. approx)
Ceiling Fan	1400 mm (56)	14 x 16 feet (4.26 x 4.87 mtrs. approx)
Domestic Exhaust Fan	150 mm (6) & 200 mm (8)	6 x 6 x 9 feet (1.82 x 1.82 x 2.74 mtrs. approx)
Domestic Exhaust Fan	225 mm (8.8)	8 x 8 x 9 feet (2.43 x 2.43 x 2.74 mtrs. approx)
Domestic Exhaust Fan	300 mm (12)	10 x 8 x 9 feet (3 x 2.43 x 2.74 mtrs. approx)