

**RR KABEL LIMITED**

RRKL/CU-ARM-UAR/LP/04/26

w.e.f. 8th April, 2026

**PRICE LIST**

**POWER CABLES (COPPER ARMoured / UNARMoured)**

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

**Rate Per Meter (INR)**

<b>( UNARMoured CABLES ) ( 2XY )</b>						<b>( ARMoured CABLES ) ( 2XWY / 2XFY )</b>					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	186	284	14	1061	1818	2	242	342	14	1139	1880
3	254	400	16	1257	2071	3	308	452	16	1302	2125
4	333	534	19	1494	2452	4	386	585	19	1544	2499
5	434	668	24	1864	3098	5	491	724	24	1931	3148
6	521	784	27	2089	3456	6	596	850	27	2189	3586
7	554	928	30	2480	4097	7	619	989	30	2441	4313
8	632	1057	37	3212	4913	8	704	1125	37	3166	5038
10	803	1296	44	3757	5856	10	881	1353	44	3698	5884
12	918	1551	61	5496	8060	12	993	1605	61	5444	8530

Size (Sq.mm)	<b>( UNARMoured CABLES ) ( 2XY )</b>					<b>( ARMoured CABLES ) ( 2XWYaY/2XFYaY ) ( 2XWY / 2XFY )</b>							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	415	605	-	799	-	473	655	-	851	1135	1411	1547
6.0	-	612	900	-	1189	-	670	949	-	1231	1683	2030	2366
10.0	-	1013	1484	-	1987	-	1069	1523	-	2016	2667	-	-
16.0	801	1485	2234	-	2945	925	1512	2262	-	2973	3974	-	-
25.0	1341	2292	3454	4202	4607	1424	2355	3536	4290	4703	7256	-	-
35.0	1862	3402	5013	5739	6639	1945	3478	5101	5841	6749	10000	-	-
50.0	2644	4610	6784	7993	9076	2723	4695	6882	8103	9198	13750	-	-
70.0	3692	6865	9858	11523	13221	3752	6975	9980	11653	13366	21625	-	-
95.0	4783	9189	13826	16037	18095	5009	9817	13968	16191	18255	-	-	-
120.0	6033	11613	17078	20356	22803	6279	11707	17235	20537	22981	-	-	-
150.0	7544	14484	21051	24378	28242	7801	14657	21212	24572	28440	-	-	-
185.0	9297	17496	26656	31178	35353	9595	18143	26865	31405	35580	-	-	-
240.0	12036	22401	34821	40169	46483	12376	23374	35040	40476	46521	-	-	-
300.0	15032	27912	43186	50152	58130	15413	29604	44756	51166	59038	-	-	-
400.0	20030	37254	53835	61319	76478	20483	40271	57882	64796	80631	-	-	-
500.0	25021	-	-	-	-	25504	-	-	-	-	-	-	-
630.0	31518	-	-	-	-	32062	-	-	-	-	-	-	-
800.0	39999	-	-	-	-	40603	-	-	-	-	-	-	-
1000.0	49980	-	-	-	-	50619	-	-	-	-	-	-	-

**Additional to be charged for Special Construction**

A) Tinning	3%	G) HR PVC Insulation	10%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.			
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	7.5%				
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath	7.5%				
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)					
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm	11.5%	* MOQ will be applicable for all Special Items			
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above	6%				
3. 9C x 2.5 Sq.mm & above	18%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)					
4. 4C x 10.0 Sq.mm & above	18%						
5. 2C x 16.0 & above	18%						
6. 3C x 16.0 & above	18%						
E) Oxygen Index (FR)	4.0%	5C to 10C	7.5%	6%	22.5%	22.5%	* The above material will be supplied from our Waghodia Unit.
F) PVC Insulation (as per IS 1554)	7.5%	12C & above	7.5%	6%	18.0%	18.0%	

**Terms & Conditions:**

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

RRKL/AL-ARM-UAR/LP/04/26

w.e.f. 8th April, 2026

**PRICE LIST**
**POWER CABLES (AL. ARMoured / UNARMoured)**

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	( UNARMoured CABLES ) (A2XY)					( ARMoured CABLES ) ( A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	128	171	-	206	-	221	256	-	300
6.0	-	184	231	-	262	-	278	321	-	360
10.0	-	253	303	-	366	-	336	400	-	524
16.0	131	262	352	-	472	231	388	444	-	568
25.0	156	327	465	596	631	287	401	534	626	673
35.0	204	439	663	717	794	359	513	731	809	921
50.0	278	576	813	954	1047	457	694	945	1078	1214
70.0	378	785	1146	1318	1500	581	880	1268	1469	1646
95.0	493	1019	1522	1744	2012	710	1137	1610	1860	2171
120.0	615	1267	1905	2211	2540	850	1401	1997	2332	2656
150.0	770	1585	2395	2674	3162	1013	1715	2474	2720	3209
185.0	944	1933	2923	3344	3891	1228	2093	3060	3441	4043
240.0	1200	2470	3759	4263	4980	1526	2648	3959	4386	5228
300.0	1489	3056	4655	5289	6199	1855	3257	4896	5440	6462
400.0	1970	4033	6131	6765	8169	2395	4269	6214	6902	8309
500.0	2441	5809	8181	9635	10805	2905	5928	8348	9832	11025
630.0	3063	7146	10401	11806	14183	3585	7292	10613	12047	14472
800.0	3867	-	-	-	-	4461	-	-	-	-
1000.0	4830	-	-	-	-	5440	-	-	-	-

**Additional to be charged for Special Construction**

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :								
B) Round Wire Armouring		Size	FR-LSH		LSZH					
			1. 1C x 95.0 & above	30%	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
			2. 2C x 16.0 & above	30%	Upto 1C x 16.0		NA	15%	NA	37.50%
			3. 3C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0		NA	15%	NA	30%
			4. 3.5C x 25.0 & above	30%	1C x 70.0 & above		NA	11.50%	NA	26.0%
5. 4C x 10.0 & above	30%	Multicore upto 16.0		15%	11.5%	22.5%	30%			
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0		11.5%	11.5%	18.0%	22.5%			
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above		7.5%	7.5%	22.5%	18%			
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :								
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.		5%	* MOQ will be applicable for all Special Items					
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above		2.5%						

**Terms & Conditions:**

&gt; The above rates are exclusive of GST &amp; any other statutory levies which shall be charged extra.

&gt; Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

RRKL/HT-ALSC/LP/04/26

w.e.f. 8th April, 2026

**PRICE LIST**
**HT Single Core Power Cables**

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV ( E )		33 KV ( E )		33 KV ( UE )	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
<b>240.0</b>	2025	2350	2120	2455	2403	2792	2479	2867	2980	3441	3413	3940
<b>300.0</b>	2395	2747	2479	2825	2776	3181	2852	3271	3385	4102	3643	4415
<b>400.0</b>	3026	3347	3075	3397	3411	3785	3499	3865	4038	4752	4272	5035
<b>500.0</b>	3630	4027	3653	4065	4012	4699	4095	4801	4670	5466	4867	5700
<b>630.0</b>	4379	4877	4393	4892	4767	5576	4858	5674	5489	6388	5715	6649
<b>800.0</b>	5326	6162	5346	6195	5754	6657	5859	6774	6517	7514	6800	7836
<b>1000.0</b>	6464	7457	6475	7457	6932	7952	7023	8080	7745	9327	8325	10065

**Additional to be charged for Special Construction**

A) FR-LSH PVC Inner Sheath -	11.5%
B) FR-LSH PVC Outer Sheath -	7.5%
C) Oxygen Index -	4.5%

**Terms & Conditions:**

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

RRKL/HT-AL3C/LP/04/26

w.e.f. 8th April, 2026

**PRICE LIST**
**HT 3 Core Power Cables**

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV ( E )	11 KV (UE)	22 KV ( E )	33 KV ( E )	33 KV ( UE )
35.0	-	1735	-	-	-	-
50.0	-	2089	-	-	-	-
70.0	2274	2537	-	-	-	-
95.0	2700	3028	3938	3902	4946	-
120.0	3272	3554	4264	4351	5538	-
150.0	3837	4157	5116	5220	6512	7046
185.0	4525	4875	5632	5748	7098	7652
240.0	5791	6200	6739	6875	8257	8740
300.0	6651	7044	8019	8185	9442	10392
400.0	8588	8975	9852	10052	11309	11890

**Additional to be charged for Special Construction**

A) Extruded PVC Inner Sheath -	4.5%
B) Pressure Extruded PVC Inner Sheath -	19.5%
C) Round Wire Armouring - Upto 11 K\	30%
D) Round Wire Armouring - Upto 11 KV ( UE ) & above -	33%
E) FR-LSH PVC Inner Sheath -	7.5%
F) FR-LSH PVC Outer Sheath -	7.5%
G) Oxygen Index (FR Sheath) -	4.5%

**Terms & Conditions:**

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**